




VISION
Medicare Systems

2026

ORTHOPAEDIC INSTRUMENT & IMPLANTS CATALOGUE



SMALL LC-DCP PLATE



CORTICAL SCREW



SCHANZ PIN




OPEN CLAMP



S.S WIRE



T/PLATE



K .WIRE



BONE PLATES



VISION MEDICARE SYSTEMS

EA-406 MAYA ENCLAVE HARI NAGAR NEW DELHI 110064 (INDIA)

🌐 www.vmsvet.in ✉ chadha707@yahoo.com ☎ : 9540076036,9990384475



VISION
MEDICARE SYSTEMS

Veterinary 2.0 MM Orthopaedic Implants




VMS:-501
2.0mm T.Plate (Locking / Non Locking)
Size:- 3-4-5-6-7-8 Hole




VMS:-502
2.0mm L.Plate Right/Left
(Locking / Non Locking)
Size:- 3-4-5-6-7-8 Hole




VMS:-503
2.0mm L.Plate (with Gape) R/L
Size:- 3-4-5-6-7-8 Hole



VMS:-504
2.0mm Locking D.C.P Plate
Size:- 4-5-6-7-8 Hole




VMS:-505
2.0mm D.C.P Plate
Size:- 3-4-5-6-7-8 Hole




VMS:-506
2.0mm Reconstruction Plate
(Locking / Non Locking)
Size:- 3-4-5-6-7-8-9-10-11-12 Hole



VMS:-507
2.0mm Round Hole Locking Plate
Size:-3-4-5-6-7-8-9-10-11-12 Hole



VMS:-508
2.0mm Cortex Screw
Size:- 6-8-10-12-14-16-18mm
20-22-24-26-28-30mm



VMS:-509
2.0mm Locking Cortex Screw
Size:- 6-8-10-12-14-16-18mm
20-22-24-26-28-30mm



VMS:-510
2.0mm Cancellous Screw
Size:- 6-8-10-12-14-16-18mm
20-22-24-26-28-30mm



VMS:-511
2.7mm Locking T Plate
Size:- 3-4-5-6-7-8 Hole




VMS:-512
2.7mm Locking L Plate (Right/Left)
Size:- 3-4-5-6-7-8 Hole



Veterinary 2.7 MM Orthopaedic Implants



VMS:-513
2.7mm Reconstruction Plate
(Locking / Non Locking)
Size:- 4-5-6-7-8-9-10
11-12-13-14-15 Hole



VMS:-514
2.7mm L.C.D.C.P Plate
(Non Locking)
Size:-4-5-6-7-8-9-10
11-12-13-14-15 Hole



VMS:-515
2.7mm D.C.P Plate (Non Locking)
Size:-4-5-6-7-8-9-10
11-12-13-14-15 Hole




VMS:-516
2.7mm 1/3 Tublar Plate
Size:-4-5-6-7-8-9-10
11-12-13-14-15 Hole




VMS:-517
2.7mm L.C.D.C.P Locking Plate
Size:-4-5-6-7-8-9-10
11-12-13-14-15 Hole



VMS:-518
2.7mm Cortex Screw
Size:- 6-8-10-12-14-16-18-20-22mm
24-26-28-30-32-34-36-38-40mm




VMS:-519
2.7mm Locking Cortex Screw
Size:- 6-8-10-12-14-16-18-20-22mm
24-26-28-30-32-34-36-38-40mm



VMS:-520
2.7mm Cancellous Screw
Size:- 6-8-10-12-14-16 18-20-22mm
24 26-28-30-32-34-36-38-40 mm




VMS:-521
3.5mm 1/3 Tublar Plate
Size:-4-5-6-7-8-9-10-11
12-13-14-15 Hole




VMS:-522
3.5mm D.C.P Plate (Non Locking)
Size:-4-5-6-7-8-9-10-11-12-13-14-15 Hole



VMS:-523
3.5mm L.C.D.C.P Plate (Non Locking)
Size:-4-5-6-7-8-9-10-11-12-13-14-15 Hole




VMS:-524
3.5 mm Locking Plate
Size:-4-5-6-7-8-9-10-11-12-13-14-15 Hole



VMS:-525
3.5mm Non Locking T.Plate
Size:- 3-4-5-6-7-8 Hole




VMS:-526
3.5mm Non Locking L.Plate Right/Left
Size:- 3-4-5-6-7-8 Hole




VMS:-527
3.5mm Reconstruction Plate
(Locking/Non Locking)
Size:-3-4-5-6-7-8-9-10-11-12 Hole



VMS:-528
3.5mm T.Locking Plate
Size:- 3-4-5-6-7-8 Hole




VMS:-529
3.5mm L.Locking Plate Right/Left
Size:-3-4-5-6-7-8 Hole




VMS:-530
3.5mm Y Locking Plate
Size:-6-9-12 Hole
2.7mm Y.Locking Plate
size:-6-9-12 Hole




VMS:-531
3.5mm Cortex Screw
Size:-10-12-14-16-18-20-22-24mm
26-28-30-32-34-36-38-40mm




VMS:-532
3.5mm Cancellous Screw
Size:-10-12-14-16-18-20-22-24mm
26-28-30-32-34-36-38-40 mm




VMS:-533
3.5mm Locking Cortex Screw
Size:-10-12-14-16-18-20-22-24mm
26-28-30-32-34-36-38-40 mm



VMS:-534
4.0mm Cancellous Screw
Size:-20-22-24-26-28-30-35-40-45-50mm
55-60-65-70-75-80-85-90-95-100 mm



VMS:-535
6.5mm Cancellous Screw 16mm Thread
6.5mm Cancellous Screw 32mm Thread
6.5mm Cancellous Screw Full Thread
Size:-20-22-24-26-28-30-35-40-45-50mm
55-60-65-70-75-80-85-90-95-100 mm




VMS:-536
6.5mm Cancellous Cannulated Screw 16mm Thread
6.5mm Cancellous Cannulated Screw 32mm Thread
6.5mm Cancellous Cannulated Screw Full Thread
Size:-20-22-24-26-28-30-35-40-45-50mm
55-60-65-70-75-80-85-90-95-100 mm




VISION

MEDICARE SYSTEMS

Veterinary Orthopaedic Implants & Instrument




VMS:-537
S.S Wire Spool
Size:-16-18-20-22-24G




VMS:-538
K.Wire
Size:-1.0-1.5-1.8-2.0-2.5mm x 9"



VMS:-539
Gigli Saw Wire




VMS:-540
Steinman Pin (One Side Trocar Point)
Size:- 2.5-3.0-3.5-4.0mm x12"
4.5-5.0-5.5-6.0mm x12"




VMS:-541
Threaded Pin
Size:- 1.5-2.0-2.5-3.0 mm x6"
Size:- 2.5-3.0-3.5-4.0-4.5-5.0-5.5-6.0 mm x12"



VMS:-542
Intramedullary Pin Both Side Pointed
Size:- 2.0-2.5-3.0-3.5-4.0mmx12"
4.5-5.0-5.5-6.0-6.5mmx12"
7.0-7.5-8.0mm x12"



VMS:-543
Centre Thread Steinmann Pin
Size:-2.0mmx2.5mmx6"
3.0mmx3.5mmx6"
4.0mmx4.5mmx9"
5.0mmx5.5mmx9"



VMS:-544
Pin Cutter 18"



VMS:-545
Wire Passer
Size:- S/M/L



VMS:-546
Diamond Point Alw



VMS:-547
Aluminium Round Bar (for Thomas Splint)
Size:-4.0mm x6 feet
Size:-6.0mmx6 feet
Size:-8.0mmx6 feet




VMS:-548
Volkman's Retractors
Size:- Two, Three, Four Pronged




VMS:-549
Screw Driver
Size:-1.5-2.0-2.7-3.5-4.5mm



VMS:-550
Bone Tap
Size:- 1.5-2.0-2.7-3.5-4.5mm



VMS:-551
Drill Bit
Size:-1.0-1.5-1.8-2.0-2.2mm
2.5-2.7-3.2-4.5mm



VMS:-552
Neutral Drill Guide
Size:-2.7/3.5mm



VMS:-553
Drill Sleeve
Size:-2.7/3.5mm



VMS:-554
Depth Gauge
Size:-2.5-3.5-4.5mm



VMS:-555
Self Centering Bone Holding Forcep
Size:-6"-8"-10"




VMS:-556
Burns Plate Holding Forceps
Size:- 8"



VMS:-557
Reduction Bone Holding Forceps
Size:- 6" - 8" - 10"




VMS:-558
Hohmann Retractor
Size:- 10-15-20mm




VMS:-559
Bone Lever
Size:-S/M/L



VMS:-560
Plate Benders
Size:- 2.7+3.5 Pair
4.5mm



VMS:-561
T Handle With S.S Check



VMS:-562
Three In One Wire Cutter



VMS:-563
K. Wire Introducer
Size:-1.0-1.5-1.8-2.0mm



VMS:-564
Chisel
Size:-5-10-15 mm



VMS:-565
Osteotomes
Size:-5-10-15 mm



VMS:-566
Preston Elevator
Size:-5-10-15 mm




VMS:-567
Amputation Saw




VMS:-568
Gigli Saw Handle



VMS:-569
Bone Curette Double Ended



VMS:-570
Self Retaining Forceps
Size:-60-8"-10"-12"



VMS:-571
Gilpi Retaining Forceps
Size:-6"-8"-10"



VMS:-572
Langenbeck Retaining Forceps
Size:-1.5"-2.5"-3.5"



VISION
MEDICARE SYSTEMS

Veterinary Orthopaedic Instruments




VMS:-573
Plaster Cutter



VMS:-574
Bone Drill Machine



VMS:-575
Bone Cordless Drill Machine (Bosch)



VMS:-576
Plaster Spreader



VMS:-577
Bone Hammer



VMS:-578
Universal Bone Drill




VMS:-579
Single Action Bone Cutter



VMS:-580
Double Action Bone Cutter



VMS:-581
Bone Hook



VMS:-582
Bone Nibbler (Straight)



VMS:-583
Bone Nibbler (Curved)




VMS:-584
Bone Nibbler (Angular)




VISION
MEDICARE SYSTEMS

Veterinary Orthopaedic External Fixator




VMS:-585
Mini Clamp
Size:-4.0 x 2.0 mm
Size:-4.0 x 2.5 mm
Size:-4.0 x 3.0 mm



VMS:-586
Connecting Rod
Size:- 4.0mm x 6"-8"-10"-12"



VMS:-587
Link Joint (JESS) Clamp
Size:-2.0mm-3.0mm



VMS:-588
Schanz Pin
Size:-2.0-2.5-3.5mm x 6"



VMS:-589
Single Pin Clamp



VMS:-590
Double Pin Clamp



VMS:-591
Connecting Clamp




VMS:-592
Open Clamp
Size:- 2.5-2.0mm




VMS:-593
Triple Trocar
Size:-3.5-4.5mm



VMS:-594
Tube To Tube Clamp




VMS:-595
Transfer Clamp



VMS:-596
Tubular Road
Size:-6"-8"-10"-12"

**VMS:-597**


Locking Acetabular Plates
Size:- 2.0mm 4Hole x 1.2 x 5 x 20mm
Size:- 2.4mm 6Hole x 1.5 x 6 x 28mm
Size:- 2.7mm 6Hole x 2.0 x 7 x 40mm
Size:- 3.5mm 6Hole x 2.5 x 10 x 48mm

**VMS:-598**


Cuttable Plate
Size:-2.0-2.4-2.7-3.5mm
10 -15-20 Hole

**VMS:-599**


Tplo Locking Plates
Size:-2.0mm x 3 Hole R/L
Size:-2.4mm x 3 Hole R/L
Size:-2.7mm x 3 Hole R/L
Size:-3.5mm x 3 Hole R/L

**VMS:-600**


Tplo Delta Plates Pre-Contoured
Size:-2.7mm x 38mm x 20mm
Size:-3.5mm x 60mm x 20mm
Size:-3.5mm x 75mm x 20mm

**VMS:-601**


Locking Supracondylar Plates
Size:-2.0mm x 4-6-8-10 Hole R/L
Size:-2.4mm x 4-6-8-10 Hole R/L
Size:-2.7mm x 4-6-8-10 Hole R/L
Size:-3.5mm x 4-6-8-10 Hole R/L

**VMS:-602**


Pancarpal Arthrodesis Plates
Size:-1.5+2.0mm
Size:-2.0+2.7mm
Size:-2.7+3.5mm
Length:-60-70-90-120mm

**VMS:-603**


Pantarsal Arthrodesis Locking Plates Angle:-120-135
Size:-2.0+2.7mm Length:-60-70-90-120mm
Size:-2.7+3.5mm Length:-60-70-90-120mm

**VMS:-604**


Cuttable Malleable Locking Plates
Size:-2.0-2.4-2.7-3.5mm
Hole:-5-10-15-20

**VMS:-605**


2.0mm Locking Screw
Length:-6-8-10-12-14-16-18
20-22-24-26-28-30mm

**VMS:-606**

2.4mm Locking Screw
Length:-6-8-10-12-14-16-18
20-22-24-26-28-30mm

**VMS:-607**


2.7mm Locking Screw
Length:-10-12-14-16-18-20-22-24
26-28-30-32-34-36-38-40mm

**VMS:-608**


3.5mm Locking Screw
Length:-10-12-14-16-18-20-22-24-26-28
30-32-34-36-38-40 mm upto 50mm




Ilizarov Ring Fixator




VMS:-609
Half Ring
Size:-60-80-100-120-140-160-180-200mm




VMS:-610
Full Ring




VMS:-611
5/8 Ring Ilizarov External Fixators
Size-160mm/180mm




VMS:-612
Wire Fixation Bolt Slotted / Cannulated




VMS:-613
Pin Bolt 3.0 mm/3.5mm/4.0mm



VMS:-614
Ring Connecting Bolt & Nut



VMS:-615
Manual Wire Tensioner




VMS:-616
Ilizarov Olive Wire / Size 1.5-1.8-2.0mm
Ilizarov K Wire / Size 1.5-1.8-2.0mm



VMS:-617
Post Male & Female
Hole-2-3-4




VMS:-618
Twisted Curved Plate
Hole 2-3-4-5



VMS:-619
Connection Plate With Threaded End
4-6-8-10-12 hole




VMS:-620
Universal Hinge



VMS:-621
Pointed Bone Holding Forceps
Size:-6"-8"



VMS:-622
Lowman Bone Clamp
Size:-6"-8"-10"




VMS:-623
Forgesy Self Retaining Retractor
Size:-6"-8"-10-12"




VMS:-624
Plaster Cutter Manual Small



VMS:-625
Plaster Cutter Manual Large



VMS:-626
Finochietto Retractor
Size 6"-8"-10



VMS:-627
Universal Open Hand Drill
With S.S. Gears



VMS:-628
Wire Tightening Plier




VMS:-629
Wire Twister



VMS:-630
Pozzi Retractor



VMS:-631
K-Wire And Drill Bit Container
Size-10"12"14"16"



VMS:-632
Screw Box
Size-2.7mm/3.5mm/4.5mm




VISION
MEDICARE SYSTEMS

Veterinary Interlocking Nail




VMS:-633
Interlocking Nail
Size:- 5.0-6.0-7.0-8.0 mm
Length 12-14-16-18-20-22-24Cm



VMS:-634
Locking Bolt
Size 2.4-2.9-3.9mm
Length -12-14-16-18-20-upto-50mm




VMS:-635
Titanium Interlocking Nail




VMS:-636
Titanium Locking Bolt
Size 2.4-2.9-3.9mm
Length -12-14-16-18-20-upto-50mm



VMS:-637
Proximal Cum Distal Zig




VMS:-638
Cannulated Bolt S.S.



VMS:-639
Protection Sleeve



VMS:-640
Extra Long Screw Driver



VMS:-641
Depth Gauge




VISION
MEDICARE SYSTEMS


Veterinary Interlocking Nail




VMS:-642
Bone Awl




VMS:-643
Tissue Protector



VMS:-644
Long Drill Bit
Size 2.0-2.5-2.7-3.2-4.0-4.5mm



VMS:-645
Socket Wrench 10mm



VMS:-646
Interlocking Nail Removal





VMS:-647
Supine Driver



VMS:-648
Protection Sleeve



VMS:-649
Cannulated Reamer
Size-5-6-7-8-9-10mm





VMS:-650 Interlocking Instruments Set



VISION

Medicare Systems



VISION MEDICARE SYSTEMS

EA-406 MAYA ENCLAVE HARI NAGAR NEW DELHI 110064 (INDIA)


www.vmsvet.in

chadha707@yahoo.com

 : 9540076036, 9990384475